

# Portrait

ZERO CLEARANCE + INSERT SERIES

CUSTOMIZE  
TO SUIT YOUR HOME.



Radiant  
Gas Fireplaces

# A picture says a thousand words

The Valor Portrait Series offers a diverse collection of adaptive fireplace fronts complementing both traditional and contemporary room settings.

## Technology

Engineered as a gas **insert** or **zero clearance** fireplace for new construction, depending on your specific need, the Portrait 530 offers two slim design fire box options. Installation possibilities are vast and welcome your architectural and interior design inspirations.

## Performance

While the Portrait front collection offers a variety of stunning looks, they all share the same Valor DNA when it comes to heat performance. Powered by Valor's time proven and compact 'fits anywhere' 530 engine, you'll appreciate the Portrait's high performance efficiencies and energy saving features whatever look you decide.

Maximize the heat performance in your home: the **ValorStat programmable remote control** provides convenient, reliable and easy to use features, distributing effective heat—where you want it, when you want.

## Design

Hand-crafted castings, high-quality metals and artisan patina finishes are just a few of the many features that define the Portrait Series collection. **Traditional Log, Coal, Rocks,** and **new Driftwood** fire bed options direct steady, radiant warmth, satisfying your home comfort needs.

A distinct collection of fireplace designs, proficient heat capabilities and home installation versatility make the Portrait Series a triple threat. Your living room will be a destination, a gathering place to enjoy time with your family, friends and loved ones.

An industry leader in efficient warmth, steady comfort and home safety, Valor is there for you, sharing these memories for years to come. Valor, warming homes since 1890.







Bolero front (541BPC), Traditional Log with Black Fluted liner (530LSK), and Black closure plate (3336CP).



# Clearview


## 545CF

A design template that is popular across our extensive line of Valor products, the Clearview front offers modern styling, ideal for insert applications in tight spaces and zero clearance new construction.

A wide range of diverse venting solutions unique to the Portrait engine make the Clearview front a perfect upgrade for your home renovation project.



Rocks (53ORSK) with Reflective Glass liner (58ORGL)  
Traditional Log, Coal and **new** Driftwood (right) also available.



Clearview zero clearance:  
26"w x 30"h



Clearview Insert front (545CFV) and  
Driftwood (53ODWK) with Reflective  
Glass liner (58ORGL).







# Ledge

## 569LF


Balancing seamless design with crisp profiles, the Ledge features a beautiful collection of three complementary finishes in black powder coated paint, plated brushed nickel and artisan hand crafted patina.

With minimal impact on actual floor space, the Ledge is ideal for kitchens, dens, lofts and other small spaces.

The powder coated backing plate provides a further statement designed to frame the Ledge, adding further depth and contrast.



Ledge Black front (569LFB)



Ledge front only without backing plate:  
27<sup>3</sup>/<sub>8</sub>"w x 30"h







Ledge Patina front (569LFP), Rocks with Black Fluted liner (53ORSK), and Black Backing plate (570FPB).

# Ledgeview

## 546LF


Inspired by Valor's Portrait Ledge, the Ledgeview is slimmer in design, offering a contemporary four-sided front—perfect for existing fireplace upgrades, major renovation or new construction.

The backing plate frames your choice of three high quality front finishes in black and bronze powder coated paint; or plated brushed nickel.

Available as insert and zero clearance, the small footprint presents the Ledgeview as an ideal fireplace for intimate home spaces.



Ledgeview fronts: Bronze (546LFZ) and Black (546LFB)







Ledgeview ZC Brushed Nickel front (546LFNZC);  
Rocks (53ORSK); Reflective Glass liner (58ORGL).




# Bolero

## 541BPC

Designed to fit contemporary spaces both old and new, the Bolero offers a unique look that adapts to your interior.

Cast surfaces are polished smooth, then plated for a stunning finish, etched with crisp dark lines and curved outside contours.

Like all Portrait Series fires, you have the choice between Traditional Log, Coal, Rocks, or **new** Driftwood fire beds; and liners, including Black Fluted, Red Brick or optional Reflective Glass liner.







Bolero front (541BPC); Traditional Logs with Black Fluted liner (530LSK); and Black backing plate (582CPB).





Windsor Arch front (539AFPv2) with  
Coal and Black Fluted liner (530CSK).





# Windsor Arch

539AFP zero clearance


549AFP insert

The Windsor Arch evokes this era, providing timeless beauty and stunning craftsmanship.

Victorian castings feature chrome detailing or simplistic black finishes, both acting as the perfect backdrop as flames radiate steady, even heat for many years to come.



Windsor Arch Chrome front (539AFPv2)



Windsor Arch 539AFP includes backing plate: 31" w x 34" h





Classic Arch Chrome front (550CPAv2) with  
Coal and Black Fluted liner (530CSK).





# Classic Arch


## 550CPAV2

A modern tribute to the highly successful Windsor Arch front, the Classic Arch features brushed chrome highlights that accentuate cast iron finishes. Chrome curvatures define the fire bed, framing the spectacular flames within.

The Classic Arch's square cast iron plate works perfectly with mantel applications providing a seamless transition to surround finishes.



Traditional Logs with Red Brick liner (530LSK)  
Three other fire beds available.





# President


## 536CXBI

Solid casting with dark, strong features accentuate the President's vertical format. Beautiful attention to detail is apparent as radiant flames illuminate the cast base, reflecting warmth to objects in the room.

Compact closure plate options provide a functional transition to existing stone and mantel work—a welcomed feature when trying to maintain the heritage look of your home.



Coal with Red Brick liner (530CSK)  
Three other fire beds available.







President Insert Cast front (536CXBI) with Coal and Black Fluted liner (530CSK); and Black closure plate (582CPB).





Senator Cast front (563SCB) with Traditional Logs and Red Brick liner (530LSK).





# Senator


## 563SCB

Highlighting the fine art of quality cast iron design, the Senator fits comfortably in both well appointed and understated settings.

Attention to detail doesn't go unnoticed as warm flames reflect off the Senator's cast contours and immaculate detailing. Although compact and modest in design, the flames provide powerful Valor radiant warmth.



Senator front (563SCB)





# PORTRAIT COMPONENTS

		Zero Clearance	Insert
<b>DIRECT VENT ENGINES</b>	Natural Gas	530IN	530INI
	Propane	530IP	530IPI

<b>FUEL BEDS + LINERS</b>	Coal	Red Brick/ Black Fluted reversible liner	530CSK
	Traditional Log		530LSK
	Rocks	Black Fluted liner	530RSK
	Driftwood <b>NEW</b>		530DWK

## FRONTS

Windsor Arch	Black Cast Iron	539AFB	549AFB
	Chrome Highlights Iron Cast	539AFP	549AFP
Classic Arch	Chrome Highlights Iron Cast	550CPA	OK as insert*
Clearview	Black/Vintage Iron with Fret	545CFVZC	545CFV
Ledgeview	Black	546LFBZC	546LFB
	Brushed Nickel	546LFNZC	546LFN
	Bronze	546LFZZC	546LFZ
Ledge	Black	569LFB	n/a
	Brushed Nickel	569LFN	
	Patina	569LFP	
President	Black Cast Iron	536CXB	536CXBI
Senator	Black Cast	563SCB	OK as insert*
Bolero	Polished Cast Iron	541BPC	OK as insert*

## Includes

ValorStat Plus Remote (GV60) and Wall Switch (1265WSK).



		Fits:	Fits:	
<b>BACKING PLATES</b> Black	36" w x 33" h	3336CP	n/a	President
	26" w x 31" h	582CPB	• President • Bolero • Senator	• President • Bolero • Senator
	30" w x 33" h	583CPB	• President • Clearview • Bolero • Senator	• President • Clearview • Bolero • Senator
	31½" w x 36½" h	570FPB	• Ledge	n/a

Senator, President and Bolero require  
• 582CPB or  
• 583CPB

<b>OPTIONAL</b>	Arched Backing Plate	n/a	549APB
	Reflective Glass liner	580RGL	
	Traditional Black Cast Iron fret	545TFB	
	Firebox Grille panel	567FGP except Coals.	
	1 Hour Shut Down Handset	GV60BRK	
	Non-Thermostat Handset	GV60NTK	
	Wall Switch	1265WSK	
	Remote Battery and Wall Switch	RBWSK	
	Outdoor Conversion Kit	GV60CKO	n/a

\* To use as insert, please contact your local dealer for more information.

BTU/hr	Model	Fuel	Max. Input	Min. Input	EnerGuide*	Max. Output* w/o fan
	530IN	NG	20,500	6,500	70.2%	15,117
	530IP	LPG	19,000	12,500	70%	14,476
	530INI	NG	20,500	6,500	64%	13,223
	530IPI	LPG	19,000	12,500	66%	13,100

## About our efficiency ratings

While the North American fireplace industry is largely self-regulated, at Valor we use recognized Canadian and US government testing methods to determine our energy efficiencies, and ensure our products perform in your home as rated.

Visit [valorfireplaces.com/efficiency](http://valorfireplaces.com/efficiency) for more information.

Certified to ANSI Z21.88-2014/ CSA 2.33-2014 Vented Gas Fireplace Heater American National Standard. CGA - 2.17-91 Gas Fired Appliances for use at High Altitudes

\* EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-15 test method.




# PORTRAIT DIMENSIONS

## Zero Clearance: Framing

	h	w	d
President	38"	26¼"	11"
Senator			12"
Bolero			13⅝"
Windsor Arch	37"	26¼"	12"
Classic Arch			13⅝"
Clearview	32"	22½"	12¾"
Ledgeview*			11¾"
Ledge	30¼"		

Allow for more depth if using a rear vent elbow.



\* Ledgeview is a 4-sided front and must sit a minimum 1½" above the hearth.


## Insert: Minimum Cavity

	h	w	d
President	25¼"	20"	9"
Senator			10"
Bolero			11½"
Windsor Arch	25¼"	20"	11½"
Classic Arch			11¾"
Clearview	25¼"	20"	11¾"
Ledgeview*			11¾"

Always refer to the manual for complete installation instructions.

## VENTING OPTIONS

Maximum vertical vent run:  
40 feet in total length.




## ENGINE OPTIONS

### Zero Clearance

530IN/530IP


- Coaxial venting ideal for built-in ZC applications.
- Slim engine depth.
- Direct vent coaxial system convertible to colinear.
- Engine can be either top or rear vented.
- Improved window latch for ease of service.



### Insert

530INI/530IPI

- Colinear vent collar plate ideal for inserting into existing solid fuel fireplaces.
- Tapered fire box venting and slim design for fitting difficult chimney cavities.
- Adaptable direct vent colinear flex venting system.
- Removable tapered venting collar for ease of install.
- Improved window latch for ease of service.







Windsor Arch Black front (549AFBv2) and Traditional Logs  
with Red Brick liner (530LSK).



# Why choose a Valor®?

## RADIANT HEAT

Like heat from the sun, Valor® fireplaces distribute radiant warmth directly to your living space. Radiant heat satisfies human comfort needs, using up to 25% less energy compared to traditional forced air systems. Valor warmth efficiently replaces the chill from cold windows and doors with steady, even heat to people and objects in the room.



### PACIFIC NORTHWEST DESIGN, DEVELOPMENT & DISTRIBUTION

Locally owned and operated in the Pacific Northwest, every Valor® fireplace is designed, developed and manufactured exclusively for North America. With a proven product family history, Valor continues to introduce unique fireplaces that stand the test of time.

### EASY CONTROL

Standard with every fireplace, our ValorStat remote gives you full control of your experience. Adjust the flame and heat to meet your desired comfort level as the room warms or as the outside temperature falls—truly a fireplace for all seasons.



### THE COMFORT ZONE

Reduce your furnace's output of hot air into empty rooms and unused spaces.

Zone heating requires no ducting or forced air, and delivers radiant and convective warmth to the spaces you frequent the most. Where you want it—when you want it.



### BURN CLEAN, ENGINEERED GREEN

Valor® specializes in the design of clean heat solutions for your home.

Our fireplaces use natural gas, the cleanest fireplace fuel you can burn, with the lowest particulate levels and lowest levels of greenhouse gases on the market.



### PRODUCT VERSATILITY

Valor® products are extremely diverse in their application and design. Whether new construction or home renovation, we offer a wide range of options to help you select the right fireplace for your personal heating needs.



### SAVINGS

Valor® designs innovative fireplaces that include many cost-saving features: for example, pilot flame that automatically turns off if your fireplace is inactive for over five days, saving energy and lowering overall home heating costs.

Keep forgetting to turn down your fireplace? The ValorStat automatically turns down after six hours.



### NO POWER, NO PROBLEM.™

If the power fails in the winter, your home can get cold fast.

Valor® fireplaces are fully functional heaters that don't require electricity. Our fireplaces provide the perfect mixture of radiant and convective heat, eliminating the need for a fan. No power, no problem.



### NO FAN NECESSARY

We firmly believe that you shouldn't have to put up with the constant buzz of a fan to be warm. That's why we designed glowing fires to radiate heat and secondary heat exchangers to naturally circulate warm air by convection throughout the room. While a fan is an option, you'll likely find it unnecessary.



### RELIABILITY

With over 100 years in the heating industry, we take pride in providing high-quality, safe products.

Every Valor® product undergoes extensive safety testing so it's no surprise that many customers own more than one Valor fireplace in their lifetime.



## FIREPLACE SAFETY — USE RADIANT HEAT SAFELY

Fireplace surfaces, in particular the glass viewing window, are extremely hot during operation and will remain hot for a period of time after the fireplace is turned off. Contact with the hot glass can cause severe burns. Close adult supervision is required if there are young children, or at-risk individuals in the house. Included with your purchase, a Valor® barrier screen is recommended at all times. Install an approved after-market safety gate to keep toddlers, young children and at-risk individuals a safe distance from the fireplace.


For more information please visit [valorfireplaces.com/safety](http://valorfireplaces.com/safety).

**WARNING**  
This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm.  
For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
Note: Natural gas, in its original state, contains Benzene.

### WARNING

This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Proudly made in North America.

Designed and manufactured by Miles Industries Ltd. 2020  
Copyright Miles Industries Ltd. 2020

Note: Natural gas, in its original state, contains Benzene.





*Good Times*  
DEVELOP  
from the negative  
AND IF THINGS  
*don't work out*  
TAKE ANOTHER SHOT

Clearview Insert front (545CFV) with Driftwood (530DWK)  
and Reflective liner (580RGL).



Radiant  
Gas Fireplaces