

Contemporary
 Design
 Heater Rated
 Log/Coal/Rock
 Full
 Control
 Energy
 Efficient
 Modern
 Appeal
 Diverse

Zone Heat
 Diverse
 Unique
 Quality
 Smart
 Steady
 Even
 Heat
 Traditional
 Radiant
 Distinct



PORTRAIT SERIES FROM **Valor**

Past, present and future - the Valor Portrait Series offers an extensive range of distinctive looks to complement almost any period style from traditional to contemporary.

And while the many Portrait faces present a diverse variety of design characteristics, they all share the same DNA when it comes to performance. Powered by our time proven and compact fit-anywhere 530 engine, you'll benefit from the highest heating efficiencies and latest energy saving features whatever look you choose.

Make your fireplace setting a favorite gathering place for family and friends to enjoy in comfort for future years to come.

Make it a Valor.



SMART CONTROL SYSTEM - STANDARD EQUIPMENT

The all new **ValorStat Plus Remote Control** gives you the power to select, adjust and program the desired temperature that you want. The **built-in timer** turns your fireplace **ON** to warm your home before you wake up and can be programmed to turn **OFF** after you go to bed.

The **ValorStat Plus** also has the ability to turn your **pilot light ON and OFF** from the programmable remote control. You'll never have to get on your hands and knees to light the pilot again!



ZONE HEATING

Central furnaces burn a lot of gas in efforts to heat your entire home. By heating with a Valor, you can **efficiently heat individual living spaces** that you spend the most time in. Further, your duct system can lose up to 30% of the heat through leaks and inefficient design.

A Valor has no ducts and delivers a blend of **radiant and convected heat** into the zone you spend most of your time. **Zone Heating** is a proven way to cut fuel consumption. **Turn down your gas guzzler and turn on a Valor!**



STEADY, EVEN RADIANT HEAT

Valor fireplaces are known for producing radiant heat - we do it by design.

Radiant heat **satisfies human comfort** using up to **25% less energy** than warm air systems. Radiant heat replaces the chill lost to cold windows and walls and is what attracts humans to fire. Our radiant fires are another reason a Valor can **reduce your energy bill** and **increase your overall comfort**.



NO POWER, NO PROBLEM

If the power fails in the winter your home can get cold fast.

Valor fireplaces are **fully functional heaters** that **don't use electricity**. Our fireplaces provide the perfect mixture of **radiant and convective heat** eliminating the need for a noisy, inefficient fan.



BURN CLEAN, ENGINEERED GREEN

Natural gas is the **cleanest fireplace fuel** you can burn with the lowest particulate levels and lowest levels of greenhouse gases. Valor specializes in producing **energy efficient, heater-rated natural gas fireplaces** designed to **consume less fuel** than the average gas fireplace.



>Fires of Tradition specializes in producing custom mantels and hearths specifically for Valor gas and electric fireplace products.

Using high-end product materials including wood, granite, marble and Jurastone, Fires of Tradition provides quality products that we are proud to showcase and associate with Valor. For more information on Fires of Tradition please visit www.firesoftradition.com.

536CXB President ZC Front with Log Set and Red Brick Liner - Shown with a FOT Riversdale Mantel



531CSB President Freestanding Stove with Log Set and Red Brick

PRESIDENT

President Framing Plate Dimensions - H: 31-1/4" W: 26"

President Front Dimensions - H: 27-7/8" W: 21-3/4"

President Freestanding Dimensions - H: 28" W: 24-1/2"

>Quality Casting: The ever popular Valor President continues to top the public opinion polls based on customer demand. Shown seamlessly set in a Riversdale mantel suite with shaped black granite backing and hearth, the President also lends itself to any number of installation and finishing options. The President is also available in a stove format which you can place freestanding or even against an exterior wall with no visible inside venting.

CLASSIC ARCH

Classic Arch Dimensions - H: 38" W: 39"

>**Product Evolution:** Evolved from the show-stopping Windsor Arch family, the Classic Arch displays contemporary lines accompanied by quality cast iron housing. Chrome curvatures define fire bed presence while reflecting flame movement from within.

550CAP Classic Arch Front with Coal Set and Black Fluted Liner

solus
HANDCAST CONCRETE
DECOR

Displayed with Solus Handcast Concrete Decor - learn more at www.solusdecor.com



539AFP Windsor Arch Front with a Fires of Tradition Niagara Mantel




539AFB Windsor Arch Front with a Fires of Tradition Riversdale Mantel



539AFP Windsor Arch Front with a Fires of Tradition Riversdale Mantel



539AFP Windsor Arch Front with a Fires of Tradition Perth Cast Mantel



539AFP Windsor Arch Front with a Fires of Tradition Barrington Mantel



Windsor Arch™

Symbolizing timeless elegance, the Windsor Arch is the pinnacle of traditional design. Favored among top interior designers and distinguished architects alike, the Windsor Arch's hand-crafted, detailed design is sure to stand the test of time.



539AFP Windsor Arch Front

>Design Objective: Capture and accurately portray the Victorian Era, collaborating traditional design and energy efficient heating technology.

>Outcome: A distinct front that stylizes your living space, and with the help of a truly realistic and radiant flame, becomes a focal point in any room configuration.



Displayed with a Fires of Tradition Octavia Mantel

541BPC Bolero Front with Log Set and Red Brick Liner



Bolero displayed with Solus Concrete Decor

bolero

Bolero Framing Plate Dimensions - H: 31-1/4" W: 26"

Bolero Front Dimensions - H: 29" W: 23-1/4"

>Feel The Heat: Designed to fit the most contemporary spaces, the Bolero offers a unique look to stand the test of time. The Bolero's quality casting is polished to a smooth finish, then plated for a stunningly beautiful surface.





STONEFIRE MANTELS

>Design Inspiration: A combination fireplace and mantel that's all inclusive. A complete fireplace package that simplifies your purchasing decision. The StoneFire collection surpasses this criteria, providing three separate mantel suite packages that are distinctive in style, application and functionality. * See StoneFire brochure for product images, descriptions and dimensions.

Shown Left: SFMK01 StoneFire ZC Framing Kit - Black, SF14BL Cast Frame - Black, SFRET3 Alhambra Style Fender Fret, SEDKAL StoneFire Alhambra Door Kit, SMTR02 StoneFire Traditional Mantel - *Shown with Log Set and Traditional Red Brick*

SFFK01 Freestyle ZC Framing Kit, SF14BL Cast Frame - Black finish, SFRET2 Traditional Fender Fret, SFFT01 4-Sided Trim Kit in Nickel Paint finish - Shown with Rock Effect, 567FGP Firebox Roof Grille Panel and Black Fluted Brick

Below: Freestyle shown with SF14TB Cast Frame & Fret Kit in Titanium finish



Above: Freestyle shown with SFDKAL StoneFire Alhambra Door Kit & SFRET3 StoneFire Alhambra Style Fender Fret



Above: Freestyle shown with SF14BR Cast Frame & Fret Kit in Bronze finish
*Screen Guard and Door Kits available.
Ask your Valor dealer for more information.



FREESTYLE

Freestyle Framing Kit Dimensions - H: 34-1/4" W: 26"

The name says it all. A fireplace designed to fit freely in any room layout matching any style. Choose between black, bronze or our new ultra modern Titanium Front. Once you select a front, you can then accessorize with an Alhambra Doors Set, Screen Front or our all new 4-Sided Nickel Painted Trim Kit (*shown above*). Drywall or tile right up to the Freestyle for a clean finish.

SENATOR

Senator Framing Plate Dimensions - H: 31-1/4" W: 26"
Senator Front Dimensions - H: 27-1/2" W: 26-1/8"

>**Compact & Stylish:** Highlighting the fine art of quality cast iron design and finishing, the Senator has a confident presence that fits just as comfortably in well appointed surrounds as it does in simple settings.







PORTRAIT FIREPLACE COMPONENTS

ENGINES		
530ILN	Portrait Log Effect Engine Direct Vent NG	
530ILP	Portrait Log Effect Engine Direct Vent LPG	
530ICN	Portrait Coal Effect Engine Direct Vent NG	
530ICP	Portrait Coal Effect Engine Direct Vent LPG	
530IRN	Portrait Rock Effect Engine Direct Vent NG	
530IRP	Portrait Rock Effect Engine Direct Vent LPG	
FRONTS		
531CSB	Freestanding President Stove	
536CXB	President Zero Clearance Cast Front	
539AFB	Windsor Arch (all black) with Cast Iron Plate - (for ZC applications)	
539AFP	Windsor Arch with Chrome Highlights & Cast Iron Plate - (for ZC applications)	
541BPC	Bolero Zero Clearance Polished Cast Iron Front	
549AFB	Windsor Arch (all black) - <i>w/out cast iron plate</i> (insert application only)	
549AFP	Windsor Arch with Chrome Highlights - <i>w/out cast iron plate</i> (insert application only)	
550CAP	Classic Arch with Cast Iron Plate - Chrome Highlights	
563SCB	Senator Zero Clearance Cast Front - Black	
FREESTYLE / STONEFIRE		
SFFK01	Freestyle Zero Clearance Framing Kit - Black	
SFMK01	StoneFire Zero Clearance Framing Kit - Black	
SF14BL	Cast Frame Kit - Black (front that mounts to framing kit - must choose fret separately)	
SF14TB	Cast Frame & Fret Kit - Titanium (front/fret that mounts to framing kit)	
SFRET1	StoneFire Classic Style Fender Fret	
SFRET2	StoneFire Traditional Style Fender Fret	
SFRET3	StoneFire Alhambra Style Fender Fret	
SFDKAL	StoneFire Alhambra Door Kit	
SFDKSG	StoneFire Screen Guard Kit	
SFFT01	Freestyle 4-Sided Trim Kit - Nickel Paint	
SMTR02	StoneFire Mantel - Traditional	
ACCESSORIES		
551DVK	Direct Vent Kit - Valor Sidewall vent terminal	
556CLA	Co-linear Adapter - converts co-axial vent to 2-3" vent liners (insert application)	
559CLT	Co-linear Terminal - chimney liner termination cap (for use with 556CLA)	
559SFK	Sqaure Flashing Kit for 559CLT (for masonry applications)	
817VAK	Vent Adapter - Black, Simpson Dura-Vent	
835TG	Outdoor Terminal Guard	
555CFK	Circulating Fan Kit - variable speed, thermally activated	
554LPK	Conversion Kit - NG to LPG	
567FGP	Firebox Grille Panel - Roof Panel (530ILN/P or 530IRN/P only)	
568RSK	Rock Set Conversion Kit (new style - includes bricks)	
1265WSK	Wall Switch Kit	


REVERSIBLE INTERIOR BRICK LINERS



FIRE BED OPTIONS




PORTRAIT FRONT DIMENSIONS




MINIMUM FRAMING DIMENSIONS

Model	(H)eight	(W)idth	(D)epth
President ZC 536	31-1/2"	26-1/2"	11"
Windsor/Classic Arch 539/550	37"	26-1/2"	13"
Bolero 541	31-1/2"	26-1/2"	12"
StoneFire SFMK01	36-1/2"	26-1/2"	11-1/2"
Freestyle SFFK01	34-1/2"	26-1/2"	12-14"*
Senator 563*	38"	26-1/2"	11"

* Minimum 7-1/2" of non-combustible material for wall finish above unit. Dimensions dependant on desired wall finish - ask your local Valor dealer. Dimensions listed above are specifically for rear vent applications. See product manual for complete framing requirements before construction.



DIRECT VENT OPTIONS



MODEL/FUEL

Model	Fuel	Max. Input BTU/hr	Min. Input BTU/hr	Fuel Bed Options (Coal or Log set)	Fan Option	Ener-Guide Rating**	AFUE**	Max. Output** (w/out fan) BTU/hr
530ILN 530ICN 530IRN	NG	20,500	6,500	Log set	Yes	69%	69.9%	15,250
530ILP 530ICP 530IRP	LPG	19,000	12,500	Log set	Yes	68.3%	69.7%	14,160

** EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-02 test method
** A.E.U.E. (Annual Fuel Use Efficiency) tested as per 10CFR - 430.23
Certified to ANSI Z21.88 / CSA 2.33 Vented Gas Fireplace Heater Standard
CAN 1-2. 17 Gas Fired Appliances For Use at High Altitude

ABOUT OUR EFFICIENCY RATINGS

At Valor we use recognized Canadian and US government test methods for determining energy efficiency performance. This ensures our products will perform in your home as rated. Beware of misleading "steady state" efficiency claims made by manufacturers using their own "in-house" test methods. For more information visit our website at valorfireplaces.com

